



Central Missouri Inspection Services

573-694-0994

centralmois1@gmail.com
centralmoinspectionservices.com

SAMPLE REPORT

1234 Main Street
Jefferson City MO,
65101

John Doe

1/29/2026 9:00AM



Inspector

Zach Carey

Certified Property Inspector
centralmois1@gmail.com

TABLE OF CONTENTS

1: Inspection Details	5
2: Structural Components	6
3: Exterior	8
4: Roofing	9
5: Plumbing	11
6: Electrical	13
7: Heating	14
8: Air Conditioning	15
9: Interiors	16
10: Built-in Appliances	19
11: Insulation and Ventilation	20
12: Fireplaces and Fuel-Burning Appliances	22
Standards of Practice	23

A home inspection is a **non-invasive, visual examination of the accessible areas of a residential property** (as delineated below), performed for a fee, which is designed to identify defects within specific systems and components defined by these Standards that are both observed and deemed material by the inspector. The scope of work may be modified by the Client and Inspector prior to the inspection process.

1. The home inspection is based on the observations made on the date of the inspection, and not a prediction of future conditions.
2. The home inspection will not reveal every issue that exists or ever could exist, but only those material defects observed on the date of the inspection.

A material defect is a specific issue with a system or component of a residential property that may have a significant, adverse impact on the value of the property, or that poses an unreasonable risk to people. The fact that a system or component is near, at, or beyond the end of its normal, useful life is not, in itself, a material defect.

A home inspection report shall identify, in written format, defects within specific systems and components defined by these Standards that are both observed and deemed material by the inspector. Inspection reports may include additional comments and recommendations.

SUMMARY

- ⊖ 2.1.1 Structural Components - Foundation, Basement & Crawlspace: Foundation Cracks - Minor
- 🔧 2.3.1 Structural Components - Wall Structure: Cracks - Minor
- ⚠️ 2.3.2 Structural Components - Wall Structure: Evidence of Structural Damage
- ⊖ 3.1.1 Exterior - Siding, Flashing & Trim: Warping/Buckling
- ⊖ 3.3.1 Exterior - Decks, Balconies, Porches & Steps: Deck - Water Sealant Required
- ⊖ 3.5.1 Exterior - Vegetation, Grading, Drainage & Retaining Walls: Standing Water
- ⊖ 4.1.1 Roofing - Coverings: Shingles Missing
- ⊖ 4.2.1 Roofing - Roof Drainage Systems: Debris
- ⊖ 4.2.2 Roofing - Roof Drainage Systems: Downspouts Drain Near House
- ⊖ 4.3.1 Roofing - Flashings: Loose/Separated
- ⚠️ 4.4.1 Roofing - Skylights, Chimneys & Roof Penetrations: Skylight Cracked
- ⊖ 5.1.1 Plumbing - Fixtures / Faucets: Bathtub paint peeling
- ⊖ 5.1.2 Plumbing - Fixtures / Faucets: Faucet drip
- ⊖ 5.1.3 Plumbing - Fixtures / Faucets: Toilet leaking
- ⊖ 5.3.1 Plumbing - Water Heater: Irregular Flame
- ⊖ 6.4.1 Electrical - Connected Devices and Fixtures (Representative number of switches and receptacles in the home, garage & exterior): Cover Plates Damaged
- ⊖ 6.8.1 Electrical - Carbon Monoxide Detectors: Low Battery
- ⊖ 7.1.1 Heating - Heating Equipment: Filter requires replacement
- ⊖ 7.1.2 Heating - Heating Equipment: Manifolds dirty
- 🔧 8.1.1 Air Conditioning - Cooling Equipment: Unusually noisy
- ⊖ 8.2.1 Air Conditioning - Distribution System: Loose Connection
- 🔧 9.1.1 Interiors - Walls: Poor Patching
- ⚠️ 9.3.1 Interiors - Floors: Moderate Wear
- ⊖ 9.3.2 Interiors - Floors: Tiles Loose
- ⊖ 9.5.1 Interiors - Countertops & Cabinets (Representative number): Countertop Cracked/Chipped
- ⊖ 9.6.1 Interiors - Doors (Representative number): Hinges Loose
- ⊖ 9.7.1 Interiors - Windows (Representative number): Missing Screen
- ⊖ 11.1.1 Insulation and Ventilation - Attic Insulation: Insufficient Insulation
- ⊖ 11.4.1 Insulation and Ventilation - Exhaust Systems: Ducts loose
- ⚠️ 12.1.1 Fireplaces and Fuel-Burning Appliances - Fireplaces, Stoves & Inserts: Firewall Cracked

1: INSPECTION DETAILS

Information

In Attendance Buyer, Buyer Agent	Occupancy Furnished, Vacant	Style Multi-level
Temperature (approximate) 80 Fahrenheit (F)	Type of Building Detached, Single Family	Weather Conditions Clear

2: STRUCTURAL COMPONENTS

Information

Inspection Method Attic Access, Infrared, Visual	Foundation, Basement & Crawlspaces: Material Concrete	Floor Structure: Material Wood I-Joists
Floor Structure: Sub-floor OSB	Floor Structure: Basement/Crawlspace Floor Concrete	Ceiling Structure: Material Wood
Roof Structure & Attic: Material Wood	Roof Structure & Attic: Type Gable	

Deficiencies

2.1.1 Foundation, Basement & Crawlspaces

FOUNDATION CRACKS - MINOR

SOUTH EXTERIOR


Minor cracking was noted at the foundation. This is common as concrete ages and shrinkage surface cracks are normal. Recommend monitoring for more serious shifting/displacement.

Here is an informational article on foundation cracks.

Recommendation

Contact a qualified professional.

 Deficiencies



2.3.1 Wall Structure

CRACKS - MINOR

DINING ROOM, LIVING ROOM

Minor cracking was observed in wall structure. This is common in homes this age. Recommend monitoring.

Recommendation

Recommended DIY Project

 Maintenance Item



2.3.2 Wall Structure


EVIDENCE OF STRUCTURAL DAMAGE

DINING ROOM, MASTER BEDROOM

Evidence of structural damage was found in the wall structure. Recommend a structural engineer evaluate and advise on how to repair.

Recommendation

Contact a qualified structural engineer.



3: EXTERIOR

Information

Inspection Method Attic Access, Infrared, Visual	Siding, Flashing & Trim: Siding Material Vinyl, Brick	Siding, Flashing & Trim: Siding Style Lap
Decks, Balconies, Porches & Steps: Appurtenance Deck, Front Porch	Decks, Balconies, Porches & Steps: Material Concrete, Wood	

Deficiencies

3.1.1 Siding, Flashing & Trim

WARPING/BUCKLING


NORTH EXTERIOR

Vinyl siding was warping or buckling in areas. This is often as a result of nailing siding boards too tight to the home, preventing expansion/contraction. Recommend a qualified siding contractor evaluate and repair.

Recommendation

Contact a qualified professional.

Deficiencies



3.3.1 Decks, Balconies, Porches & Steps

DECK - WATER SEALANT REQUIRED


Deck is showing signs of weathering and/or water damage. Recommend water sealant/weatherproofing be applied.

[Here is a helpful article](#) on staining & sealing your deck.

Recommendation

Recommended DIY Project

Deficiencies



3.5.1 Vegetation, Grading, Drainage & Retaining Walls

STANDING WATER

Standing water observed, which could indicate poor drainage and/or grading. Recommend monitor and/or have landscaper correct.

[Here is a resource](#) on dealing with standing water in your yard.

Recommendation

Contact a qualified landscaping contractor

Deficiencies



Water pooling in yard; recommend drainage

4: ROOFING

Information

Inspection Method Ground, Ladder, Roof	Coverings: Material Asphalt	Flashings: Material Aluminum
--	---------------------------------------	--

Deficiencies

4.1.1 Coverings

 Deficiencies

SHINGLES MISSING
SOUTH FACING
Observed areas that appeared to be missing sufficient coverings. Recommend qualified roofing contractor evaluate & repair.
Recommendation
Contact a qualified roofing professional.



4.2.1 Roof Drainage Systems

 Deficiencies

DEBRIS
Debris has accumulated in the gutters. Recommend cleaning to facilitate water flow.
[Here is a DIY resource](#) for cleaning your gutters.
Recommendation
Contact a qualified roofing professional.



4.2.2 Roof Drainage Systems

 Deficiencies

DOWNSPOUTS DRAIN NEAR HOUSE
One or more downspouts drain too close to the home's foundation. This can result in excessive moisture in the soil at the foundation, which can lead to foundation/structural movement. Recommend a qualified contractor adjust downspout extensions to drain at least 6 feet from the foundation.
[Here is a helpful DIY link](#) and video on draining water flow away from your house.
Recommendation
Contact a qualified roofing professional.



4.3.1 Flashings



Deficiencies

LOOSE/SEPARATED

Flashings observed to be loose or separated, which can lead to water intrusion and/or mold. Recommend a qualified roofing contractor repair.

Recommendation

Contact a qualified roofing professional.



4.4.1 Skylights, Chimneys & Roof Penetrations




Safety Hazard

SKYLIGHT CRACKED

Skylight was cracked in one or more places. Recommend a qualified roofing contractor repair.

Recommendation

Contact a qualified roofing professional.



Broken skylight presents risk of water entry and glass shards entering house.

5: PLUMBING

Information

Filters None	Material - Distribution Copper, Pex	Material - Water Supply Copper
Source Public	Drain, Waste, & Vent Systems: Drain Size 2"	Drain, Waste, & Vent Systems: Material PVC
Water Heater: Manufacturer Whirlpool	Water Heater: Power Source Gas	Water Heater: Capacity 50 Gallons
Water Heater: Location Basement		

Deficiencies

5.1.1 Fixtures / Faucets

Deficiencies

BATHTUB PAINT PEELING
Bathtub paint is peeling off. Recommend replacement or qualified repair.

Recommendation

Contact a qualified professional.




5.1.2 Fixtures / Faucets

Deficiencies

FAUCET DRIP
A faucet is dripping. Recommend qualified handyman or plumber repair.

Recommendation

Contact a qualified plumbing contractor.



5.1.3 Fixtures / Faucets



Deficiencies

TOILET LEAKING

Toilet is dripping near water supply. Recommend qualified handyman or plumber repair.

Recommendation

Contact a qualified plumbing contractor.



5.3.1 Water Heater



Deficiencies

IRREGULAR FLAME

Water heater flame is irregular. Recommend qualified plumber evaluate & repair.

Recommendation

Contact a qualified plumbing contractor.



6: ELECTRICAL

Information

Branch Wire 15 and 20 AMP	Wiring Method
Copper	Conduit

Deficiencies

6.4.1 Connected Devices and Fixtures (Representative number of switches and receptacles in the home, garage & exterior)

COVER PLATES DAMAGED

One or more receptacles have a damaged cover plate. Recommend replacement.

Recommendation

Contact a qualified electrical contractor.



Scorch marks on cover plate

6.8.1 Carbon Monoxide Detectors

LOW BATTERY

Carbon monoxide detector failed to respond when tested. Recommend battery be replaced.

Recommendation

Recommended DIY Project



7: HEATING

Information

Heating Equipment: Energy Source	Heating Equipment: Heat Type
Gas	Forced Air

Deficiencies

7.1.1 Heating Equipment

FILTER REQUIRES REPLACEMENT

The furnace filter appears to be beyond its expected lifespan. Recommend replacement.

Recommendation

Contact a qualified HVAC professional.



7.1.2 Heating Equipment

MANIFOLDS DIRTY

Cleaning manifolds will result in better air quality.

Recommendation

Contact a qualified HVAC professional.



8: AIR CONDITIONING

Information

Cooling Equipment: Brand Amana	Cooling Equipment: Energy Source/Type Gas	Cooling Equipment: Location Roof
Distribution System: Configuration Central		

Deficiencies

8.1.1 Cooling Equipment

Maintenance Item

UNUSUALLY NOISY

Compressor started and operated but unit was unusually noisy. Recommend licensed HVAC contractor evaluate.

Recommendation

Contact a qualified HVAC professional.

8.2.1 Distribution System

Deficiencies

LOOSE CONNECTION

There are loose connections on ducts, resulting in energy loss. Recommend licensed HVAC contractor resecure.

Recommendation

Contact a qualified HVAC professional.



Loose connection; recommend sealing.

9: INTERIORS

Information

Walls: Wall Material Gypsum Board	Ceilings: Ceiling Material Gypsum Board	Floors: Floor Coverings Hardwood, Carpet, Tile
Countertops & Cabinets (Representative number): Countertop Material Granite	Countertops & Cabinets (Representative number): Cabinetry Laminate	Windows (Representative number): Window Type Sliders

Deficiencies

9.1.1 Walls

Maintenance Item

POOR PATCHING
Sub-standard drywall patching observed at time of inspection. Recommend re-patching.
Recommendation
Contact a qualified drywall contractor.




9.3.1 Floors

Safety Hazard

MODERATE WEAR
Floors in the home exhibited moderate surface wear along major paths of travel. Recommend a qualified flooring contractor evaluate for possible re-finish.

Recommendation
Contact a qualified flooring contractor



9.3.2 Floors

TILES LOOSE

Loose tiles are present. Recommend re-attach and seal.

Recommendation
Contact a qualified flooring contractor




9.5.1 Countertops & Cabinets (Representative number)

COUNTERTOP CRACKED/CHIPPED

Countertop had one or more cracks or chips. Recommend qualified countertop contractor evaluate and repair.

[Here is a helpful article](#) on repairing cracks, chips & fissures.

Recommendation
Contact a qualified countertop contractor.



9.6.1 Doors (Representative number)

HINGES LOOSE

Loose hinges can cause door to stick or eventually fall out of place. Recommend handyman tighten hinges.

[Here is a DIY article](#) on fixing loose hinges.

Recommendation
Contact a qualified handyman.





9.7.1 Windows (Representative number)

—

Deficiencies

MISSING SCREEN

Window missing screen. Recommend replacement.

Recommendation

Contact a qualified window repair/installation contractor.



10: BUILT-IN APPLIANCES

Information

Dishwasher: Brand Kitchenaid	Refrigerator: Brand Kenmore	Range/Oven/Cooktop: Range/Oven Energy Source Electric
Range/Oven/Cooktop: Range/Oven Brand Kenmore	Range/Oven/Cooktop: Exhaust Hood Type Vented	

11: INSULATION AND VENTILATION

Information

Dryer Power Source 220 Electric	Dryer Vent Metal	Flooring Insulation Loose Fill
Attic Insulation: R-value 40	Attic Insulation: Insulation Type Blown	Ventilation: Ventilation Type Passive
Exhaust Systems: Exhaust Fans None		

Deficiencies

11.1.1 Attic Insulation

INSUFFICIENT INSULATION



Insulation depth was inadequate. Recommend a qualified attic insulation contractor install additional insulation.

Recommendation
Contact a qualified insulation contractor.



11.4.1 Exhaust Systems

DUCTS LOOSE



Ductwork in the attic is loose or disconnected. Recommend repair.

Recommendation
Contact a qualified HVAC professio



12: FIREPLACES AND FUEL-BURNING APPLIANCES

Information

Type
Wood

Deficiencies

12.1.1 Fireplaces, Stoves & Inserts

FIREWALL CRACKED

The brick lining of the fireplace was cracked in one or more places, which could lead to chimney damage or toxic fumes entering the home. Recommend a qualified fireplace contractor evaluate and repair.

Recommendation

Contact a qualified fireplace contractor.

 Safety Hazard



STANDARDS OF PRACTICE

Structural Components

3. STRUCTURAL COMPONENTS 3.1 The inspector shall: A. inspect structural components including the foundation and framing. B. describe: 1. the methods used to inspect under floor crawlspaces and attics. 2. the foundation. 3. the floor structure. 4. the wall structure. 5. the ceiling structure. 6. the roof structure. 3.2 The inspector is NOT required to: A. provide engineering or architectural services or analysis. B. offer an opinion about the adequacy of structural systems and components. C. enter under floor crawlspace areas that have less than 24 inches of vertical clearance between components and the ground or that have an access opening smaller than 16 inches by 24 inches. D. traverse attic load-bearing components that are concealed by insulation or by other materials.

Exterior

4.1 The inspector shall: A. inspect: 1. wall coverings, flashing, and trim. 2. exterior doors. 3. attached and adjacent decks, balconies, stoops, steps, porches, and their associated railings. 4. eaves, soffits, and fascias where accessible from the ground level. 5. vegetation, grading, surface drainage, and retaining walls that are likely to adversely affect the building. 6. adjacent and entryway walkways, patios, and drive-ways. B. describe wall coverings. 4.2 The inspector is NOT required to inspect: A. screening, shutters, awnings, and similar seasonal accessories. B. fences, boundary walls, and similar structures. C. geological and soil conditions. D. recreational facilities. E. outbuildings other than garages and carports. F. seawalls, break-walls, and docks. G. erosion control and earth stabilization measures.

Roofing

5.1 The inspector shall: A. inspect: 1. roofing materials. 2. roof drainage systems. 3. flashing. 4. skylights, chimneys, and roof penetrations. B. describe: 1. roofing materials. 2. methods used to inspect the roofing. 5.2 The inspector is NOT required to inspect: A. antennas. B. interiors of vent systems, ues, and chimneys that are not readily accessible. C. other installed accessories.

Plumbing

6.1 The inspector shall: A. inspect: 1. interior water supply and distribution systems including fixtures and faucets. 2. interior drain, waste, and vent systems including fixtures. 3. water heating equipment and hot water supply systems. 4. vent systems, flues, and chimneys. 5. fuel storage and fuel distribution systems. 6. sewage ejectors, sump pumps, and related piping. B. describe: 1. interior water supply, drain, waste, and vent piping materials. 2. water heating equipment including energy source(s). 3. location of main water and fuel shut-off valves. 6.2 The inspector is NOT required to: A. inspect: 1. clothes washing machine connections. 2. interiors of vent systems, flues, and chimneys that are not readily accessible. 3. wells, well pumps, and water storage related equipment. 4. water conditioning systems. 5. solar, geothermal, and other renewable energy water heating systems. 6. manual and automatic re extinguishing and sprinkler systems and landscape irrigation systems. 7. septic and other sewage disposal systems. B. determine: 1. whether water supply and sewage disposal are public or private. 2. water quality. 3. the adequacy of combustion air components. C. measure water supply ow and pressure, and well water quantity. D. fill shower pans and fixtures to test for leaks.

Electrical

7.1 The inspector shall: A. inspect: 1. service drop. 2. service entrance conductors, cables, and raceways. 3. service equipment and main disconnects. 4. service grounding. 5. interior components of service panels and subpanels. 6. conductors. 7. overcurrent protection devices. 8. a representative number of installed lighting fixtures, switches, and receptacles. 9. ground fault circuit interrupters and arc fault circuit interrupters. B. describe: 1. amperage rating of the service. 2. location of main disconnect(s) and subpanels. 3. presence or absence of smoke alarms and carbon monoxide alarms. 4. the predominant branch circuit wiring method. 7.2 The inspector is NOT required to: A. inspect: 1. remote control devices. 2. or test smoke and carbon monoxide alarms, security systems, and other signaling and warning devices. 3. low voltage wiring systems and components. 4. ancillary wiring systems and components not a part of the primary electrical power distribution system. 5. solar, geothermal, wind, and other renewable energy systems. B. measure amperage, voltage, and impedance. C. determine the age and type of smoke alarms and carbon monoxide alarms.

Heating

8.1 The inspector shall: A. open readily openable access panels. B. inspect: 1. installed heating equipment. 2. vent systems, ues, and chimneys. 3. distribution systems. C. describe: 1. energy source(s). 2. heating systems. 8.2 The inspector is NOT required to: A. inspect: 1. interiors of vent systems, ues, and chimneys that are not readily accessible. 2. heat exchangers. 3. humidi ers and dehumidi ers. 4. electric air cleaning and sanitizing devices. 5. heating systems using ground-source, water-source, solar, and renewable energy technologies. 6. heat-recovery and similar whole-house mechanical ventilation systems. B. determine: 1. heat supply adequacy and distribution balance. 2. the adequacy of combustion air components.

Air Conditioning

9.1 The inspector shall: A. open readily openable access panels. B. inspect: 1. central and permanently installed cooling equipment. 2. distribution systems. C. describe: 1. energy source(s). 2. cooling systems. 9.2 The inspector is NOT required to: A. inspect electric air cleaning and sanitizing devices. B. determine cooling supply adequacy and distribution balance. C. inspect cooling units that are not permanently installed or that are installed in windows. D. inspect cooling systems using ground-source, water-source, solar, and renewable energy technologies.

Interiors

10.1 The inspector shall inspect: A. walls, ceilings, and floors. B. steps, stairways, and railings. C. countertops and a representative number of installed cabinets. D. a representative number of doors and windows. E. garage vehicle doors and garage vehicle door operators. F. installed ovens, ranges, surface cooking appliances, microwave ovens, dishwashing machines, and food waste grinders by using normal operating controls to activate the primary function. 10.2 The inspector is NOT required to inspect: A. paint, wallpaper, and other finish treatments. B. floor coverings. C. window treatments. D. coatings on and the hermetic seals between panes of window glass. E. central vacuum systems. F. recreational facilities. G. installed and free-standing kitchen and laundry appliances not listed in Section 10.1.F. H. appliance thermostats including their calibration, adequacy of heating elements, self cleaning oven cycles, indicator lights, door seals, timers, clocks, timed features, and other specialized features of the appliance. I. operate, or confirm the operation of every control and feature of an inspected appliance.

Built-in Appliances

10.1 The inspector shall inspect: F. installed ovens, ranges, surface cooking appliances, microwave ovens, dishwashing machines, and food waste grinders by using normal operating controls to activate the primary function. 10.2 The inspector is NOT required to inspect: G. installed and free-standing kitchen and laundry appliances not listed in Section 10.1.F. H. appliance thermostats including their calibration, adequacy of heating elements, self cleaning oven cycles, indicator lights, door seals, timers, clocks, timed features, and other specialized features of the appliance. I. operate, or confirm the operation of every control and feature of an inspected appliance.

Insulation and Ventilation

11.1 The inspector shall: A. inspect: 1. insulation and vapor retarders in unfinished spaces. 2. ventilation of attics and foundation areas. 3. kitchen, bathroom, laundry, and similar exhaust systems. 4. clothes dryer exhaust systems. B. describe: 1. insulation and vapor retarders in unfinished spaces. 2. absence of insulation in unfinished spaces at conditioned surfaces. 11.2 The inspector is NOT required to disturb insulation.

Fireplaces and Fuel-Burning Appliances

12.1 The inspector shall: A. inspect: 1. fuel-burning replaces, stoves, and replace inserts. 2. fuel-burning accessories installed in replaces. 3. chimneys and vent systems. B. describe systems and components listed in 12.1.A.1 and .2. 12.2 The inspector is NOT required to: A. inspect: 1. interiors of vent systems, uses, and chimneys that are not readily accessible. 2. fire screens and doors. 3. seals and gaskets. 4. automatic fuel feed devices. 5. mantles and replace surrounds. 6. combustion air components and to determine their adequacy. 7. heat distribution assists (gravity fed and fan assisted). 8. fuel-burning replaces and appliances located outside the inspected structures. B. determine draft characteristics. C. move fireplace inserts and stoves or firebox contents.